

GR05 Accessories Sheet

+44 (0)121 506 6095 or enquiries@echopkins.com

 Description Application Materials Part Number Size Max Rating 	5" Diameter Bonded Abrasive Grinding Disc for Stone Depressed Centre High Performance, minimal vibration & long life Grinding Masonry, Stone, Concrete Stone, Brick, Concrete, Ceramics GW578DCM 125mm x 6.4mm 12'200rpm	ANGINEAN WILLIAM WILLIAM WILLIAM WAS NOW THE PROPERTY OF T
 Description Application Materials Part Number Size Max Rating 	5" Diameter Bonded Abrasive Grinding Disc for Metal Depressed Centre High Performance, minimal vibration & long life Grinding Pipe, Structural, Solid or Plate Steel, Stainless Steel GW578DCS 125mm x 6.4mm 12'200rpm	VUCAN VUCAN V € GES SEARCH
 Description Application Materials Part Number Size Max Rating 	5" Diameter Bonded Abrasive Cutting Disc for Metal Depressed Centre High performance, minimal vibration & long life Cutting Pipe, Structural, Solid and Plate Steel, Stainless Steel CW578DCS 125mm x 2.5mm 12'200rpm	VUICAN VUICAN VI
 Description Application Materials Part Number Size Max Rating 	5" All-Grind Diamond Grit Grinding Disc Durable, Long Life with the ability to grind a wide range of materials General Grinding / Various Materials All Purpose, Concrete, Stone, Steel & Alloys, Composite, PVC, Wood AG125-22 125mm 12'250rpm	
 Description Application Materials Part Number Size Max Rating 	5" All-Cut Diamond Grit Cutting Disc Durable, Long Life with the ability to cut a wide range of materials General Cutting / Various Materials All Purpose, Concrete, Stone, Steel & Alloys, Composite, PVC, Wood AC125-22 125mm x 2.5mm 12'250rpm	

All Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specification and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult us



GR05 Accessories Sheet

+44 (0)121 506 6095 or enquiries@echopkins.com

 Description Application Materials Part Number Size Max Rating 	5" Diamond Grinding Cup DS300 B Cup Grinding Wheel with 18 segments High Stock Removal Performance Concrete, Stone, Construction Material 325362 125mm x 5mm 12'200rpm	
 Description Application Materials Part Number Size Max Rating 	5" Diamond Cutting Disc DT 600 U Fast Cutting Performance, Long Life Cutting Concrete, Stone, Brick, Construction Materials 322631 125mm x 2.4mm 12'200rpm	51 600
 Description Application Materials Part Number Size Max Rating 	Cup Wire Brush 100mm Crimped Steel Bristles General purpose cup wire brush Surface preparation, Rust removal, Cleaning Various, Inc. Steel, Stainless Steel & Glass Fibre CWB100-CB14 100mm x M14 Threaded Bore 8'500rpm	
 Description Application Materials Part Number Size Max Rating 	Cup Wire Brush 100mm Twisted Knot Steel Bristles Hard wearing cup brush with good material removal De-burring, De-scaling, Marine growth removal, Paint removal Various, Inc. Steel, Stainless Steel & Glass Fibre CWB100-TK14 100mm x M14 Threaded Bore 8'500rpm	
 Description Application Materials Part Number Sizes Max Rating 	Bevel Wire Brush 100mm Twisted Knot Steel Bristles Hard wearing bevel brush with good material removal De-burring, De-scaling, Marine growth removal, Paint removal Various, Inc. Steel, Stainless Steel & Glass Fibre BWB100-TK14 100mm x M14 Threaded Bore 12'500rpm	

All Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specification and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult us



GR05 Accessories Sheet

+44 (0)121 506 6095 or enquiries@echopkins.com

 Description Application Materials Part Number Size Max Rating 	5" Rapid Strip Di Synthetic fibres a Light Marine Gro Various, Inc. Stee RSD30655 125mm DPC 12'000rpm			
 Description Application Materials Part Number Sizes Grit Max Rating 	Zirconium, excell	Discs (40/80/120 Grit) DPC ent material removal and lo inding, surface preparation 8 teel CFD02318 125 80-Grit	_	VIRCAN VIRCAN CONTRACTOR OF THE PARTY OF THE
 Description Application Materials Part Number Size Max Rating 	4" Swirl-Off Stainless Steel housing with 21 cutters De-Scaling, Marine Growth Removal, Paint Removal Various, Inc. Steel, Stainless Steel & Glass Fibre 50400MM 100mm x M14 Threaded Bore 6000rpm			

All Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specification and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult us