

[Home](#) / [Products](#) / [Power cutters HCD](#) / K 4000



## POWER CUTTER K 4000 110 V | UK

The K 4000 is an all-round electric disc cutter that minimises the amount of water and slurry. Unlike other electric cutters, the blade rotates forward, cutting into the material efficiently with minimum effort on the operator. K 4000 is easily adaptable for dry cutting with the Vac attachment accessory for minimal dust generation.

### Engine



Motor

| POWER CUTTER K 4000 110 V   UK |           |
|--------------------------------|-----------|
| Rated input power              | 2.7 kW    |
| Frequency                      | 50-60 Hz  |
| Phases                         | 1 ph      |
| Voltage                        | 100-120 V |

Cutting equipment

| POWER CUTTER K 4000 110 V   UK |          |
|--------------------------------|----------|
| Cutting depth, max             | 125 mm   |
| Blade diameter, max            | 350 mm   |
| Arbor diameter                 | 25.4 mm  |
| Blade thickness, max           | 5.6 mm   |
| Peripheral speed, max          | 100 m/s  |
| Coolant                        | Wet /dry |

Dimensions

| POWER CUTTER K 4000 110 V   UK |         |
|--------------------------------|---------|
| Product size length            | 24.8 in |
| Product size length            | 631 mm  |
| Product size width             | 8.7 in  |
| Product size width             | 221 mm  |
| Product size height            | 12.3 in |



side packed articles)

|                  |        |
|------------------|--------|
| Packaging length | 775 mm |
|------------------|--------|

|                 |        |
|-----------------|--------|
| Packaging width | 280 mm |
|-----------------|--------|

|                  |        |
|------------------|--------|
| Packaging height | 255 mm |
|------------------|--------|

|                      |          |
|----------------------|----------|
| Article gross weight | 10,700 g |
|----------------------|----------|

## Sound and noise

### POWER CUTTER K 4000 110 V | UK

|                                     |           |
|-------------------------------------|-----------|
| Sound power level, guaranteed (LWA) | 105 dB(A) |
|-------------------------------------|-----------|

|                                       |          |
|---------------------------------------|----------|
| Sound pressure level at operators ear | 95 dB(A) |
|---------------------------------------|----------|

## Vibration

### POWER CUTTER K 4000 110 V | UK

|                              |                      |
|------------------------------|----------------------|
| Vibrations left/front handle | 3.5 m/s <sup>2</sup> |
|------------------------------|----------------------|

|                              |                      |
|------------------------------|----------------------|
| Vibrations right/rear handle | 3.5 m/s <sup>2</sup> |
|------------------------------|----------------------|

## Certifications

### POWER CUTTER K 4000 110 V | UK

|                                           |             |
|-------------------------------------------|-------------|
| Cert machine dir. 2006/42/EC<br>Decl. No. | CB SE-89319 |
|-------------------------------------------|-------------|



© Husqvarna AB (publ). All rights reserved. Prices shown are recommended retail prices.

[Cookie policy](#)

[Terms of use](#)

[Privacy notice](#)

[Imprint](#)

## Useful links

[Contact us](#)

[REACH Article 33 Declaration](#)

[Status page](#)