



# FEIN



## WSG 8-125

Compact angle grinders, Ø 125 mm

Ergonomic 800 W compact angle grinder for deburring, sanding and cutting.

Product number: 7 221 74 60 24 0

### Details

- > Longer carbon brush life and tool removes more material than comparable angle grinders.
- > Solid metal gearbox head for maximum robustness and service life.
- > The lightest model of its kind.
- > H 07 industrial cable.
- > The best vibration performance in its class.
- > Safety hood can be adjusted without tools and has anti-twist protection.
- > Spindle lock.
- > Enhanced safety through integrated restart protection.

### Price includes

- ✓ 1 wheel guard
- ✓ 1 additional handle
- ✓ 1 pair of flanges
- ✓ 1 key

### Product feature

- ✓ Restart protection



## Application

Roughing-down



Deburring



Dividing



Brushing



★ suitable

★★ well suitable

## Technical data

### TECHNICAL DATA

Input

800 W

Output

520 W

Speed, no load

11,000 rpm

Grinding disc Ø

125 mm

Elast. Backing pad Ø

125 mm

Flange

M 14

Cable with plug

4 m

Weight according to  
EPTA

2.00 kg

### VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA  
Uncertainty of measured value  
KpA

90 dB  
3 dB

Sound power level LWA  
Uncertainty of measured value  
KWA

101 dB  
3 dB

Sound peak value  
LpCpeak  
Uncertainty of measured value  
KpCpeak

105 dB  
3 dB

Vibration value 1  $\alpha_{hv}$  3-  
way  
Vibration value 2  $\alpha_{hv}$  3-way

$\alpha_{h,AG}$  5,0 m/s<sup>2</sup>  
 $\alpha_{h,SG}$  1,8 m/s<sup>2</sup>

Uncertainty of measured  
value K $\alpha$

1,5 m/s<sup>2</sup>

## Application examples

