



4581 siaramic

The ceramic fibre disc for maximum performance on steel



The ceramic fibre disc for maximum performance on steel

The coarser grits of the 4581 siaramic series are developed for an extraordinarily high stock removal speed on unalloyed/low-alloyed steels. The long lifetime of the disc is an additional benefit of the shaped siaramic grain. Additionally, the ceramic fibre disc distinguishes through a consistent cut in finer grits on unalloyed/low-alloyed steels what results in a superb surface quality.

- ▶ High removal rate thanks to ceramic grit
- ▶ Aggressive initial sanding thanks to optimised sanding grain
- ▶ Fast and rugged stock removal with regular surface quality
- ▶ Long lifetime
- ▶ Uniform cutting performance
- ▶ Increased efficiency due to measurable time-saving
- ▶ Minimal effort required thanks to highly aggressive abrasive grit

Product profile

Grit type:	Ceramic aluminium oxide
Grit range:	36; 60-80
Backing:	Fibre
Coating:	Electrostatic
bonding:	Resin over resin
Coating:	1-sided

Use



Applications

- Welded seam preparation
- Weld removal
- Removal of scale and mill scale
- Deburring
- Blending flaws
- Removing discolouration

Materials

Unalloyed / low-alloy steel; Stainless steel (inox)

Technology

Moulded grit; X-LOCK