



# AKBU 35 PMQW 18 V AS set 2x 8 Ah

Cordless universal magnetic core drill for up to 35 mm

Battery set containing 2 x 8 Ah ProCORE batteries. Perfect for mobile working on the construction site.

Product number: 7 170 04 64 24 0



### Details

- Extremely wear-resistant and durable tool concept thanks to brushless motor as well as high material quality and workmanship.
  Designed for up to 60,000 holes during a 300 h usage period.
- Small and light tool with increased work progress of up to 25%, offering unique productivity and battery life compared with the competition. Using 18 V 8 Ah AMPShare ProCORE batteries, up to 31 holes can be drilled per battery charge (carbide core drill bit, diameter 18 mm, S235 12 mm).
- Weighing 12.2 kg, it's the lightest cordless universal core drill in the world. Maximum flexibility for all mobile drilling work, such as core drilling, twist drilling, tapping, countersinking and reaming thanks to forward/reverse running, electronic speed setting and a 260 mm stroke range.
- Intuitive operating concept avoids mix-ups and can be clearly seen by the user.
- + Convenient magnetic holding force display.
- + Tilt sensor stops the drill motor when the tool

slips or tilts.

- + MT2 tool mounting.
- Secure positioning thanks to extra narrow permanent magnet with magnetic bias for convenient and simple alignment.
- + Speed saving "memory function".
- Compatible with Bosch Professional 18 V batteries (available since 2008) and AMPShare batteries.
- COOLPACK 2.0 technology delivers a 135% longer battery life and therefore makes longer operating times possible.
- State-of-the-art cell technology and intelligent battery management deliver 87% more power than with conventional batteries.
- ProCORE Li-Ion battery with high-power cells, charge status indicator and "Electronic Cell Protection" (ECP). ECP protects against overload, overheating and total discharge.
- + \* Also available with accessories.
- \*\* Outstanding performance with AMPShare ProCore 18 V 8.0 Ah / 12.0 Ah

### Price includes

- + 1 cordless magnetic core drill
- + 1 lashing strap
- + 1 centring pin 100 mm
- 🕂 1 drift key
- + 1 x GAL18 V-160 AS rapid charger

# Product feature

- + Magnetic holding force display
- + Variable speed control
- Speed-controlled electronics (tacho)

- + 1 x coolant pump
- 🕂 1 swarf hook
- + 1 contact guard
- + 2 ProCORE 18 V / 8.0 Ah Li-Ion batteries
- + 1 plastic carrying case
- + Reversible rotation
- + aus\_memoryfunktion
- + Tilt sensor



Application



- Core drilling in metal with a Ø up to 35 mm
- Twist drills with drill chuck (DIN 338)
- Twist drills with MK fitting (DIN 345)
- Tapping
- Countersinking
- Reaming

max.

Core drill, drilling depth

50(75)\* mm

Working overhead

## Technical data

**TECHNICAL DATA** 

++	
+	
++	
++	
++	
++	
++	

**VIBRATION AND SOUND EMISSION** VALUES

Battery voltage	18 V	Sound pressure level LpA Uncertainty of measured value	82,4 dB 3 dB
Battery compatibility	Li-ion / ProCORE Li-	КрА	
	ion**	Sound power level LWA Uncertainty of measured value	93,4 dB <sub>3 dB</sub>
Battery interface	18 V AMPShare	KWA	
Motor	brushless	Sound peak value LpCpeak	97,1 dB
Speed, full load	130 - 520 rpm	Uncertainty of measured value KpCpeak	3 dB
Tool Holder	MT 2	Vibration value 1 $\alpha$ hv 3-	<b>α</b> h,D 0,6 m/s²
Carbide core drill bit max. Ø	35 mm	Way Uncertainty of measured value Kα	1,5 m/s²
HSS core drill max. Ø	35 mm		

+ suitable

+ + well suitable



Twist drill max. Ø	18 mm
Tapping	M 14
Countersinking max. Ø	31 mm
Reaming max. Ø	18 mm
Core drill holder	3/4 in Weldor
Changing the core bit	tool-free
Stroke	135 mm
Total stroke range	260 mm
Magnetic holding power	9,000 N
Magnetic foot dimensions	195 x 70 mm
Weight without storage battery	12.20 kg
Weight without storage battery	12.20 kg

# n

# Application examples





