

## MKAS 355

### Metal chop saw

Saw safely with speed and precision with the chop saw for metal.

Product number: 7 236 54 60 00 0



### Details

- > Up to 100% non-sparking: cold cuts for safe working without dust.
- > Fast and precise dividing: maximum work progress with minimal rework.
- > A versatile all-rounder: the right saw blade for every material.
- > Angle can be set to 0–45° for mitre cuts.
- > Quick clamping device for table clamp.
- > Depth stop
- > Swarf collecting vessel.
- > Dead man's switch.

### Price includes

- ✓ 1 saw blade for construction steel
- ✓ 1 combination wrench: 6 mm hexagon socket and PH2 cross recess
- ✓ 1 socket head wrench 8 mm
- ✓ 1 pair of extra carbon brushes



## Application

Installation work



Workshop jobs



★ suitable  
★★ well suitable

## Technical data

### TECHNICAL DATA

Current/Voltages

230 V

Input

1,800 W

Output

1,050 W

Speed, no load

1,300 rpm

Saw blade Ø

355 mm

Holder mandrel

25.4 mm

Max. cutting depth,  
square

120 mm

Max. cutting depth,  
square at 45°

90 mm

Max. cutting depth,  
round

100 mm

Max. cutting depth,  
round at 45°

90 mm

Cable with plug

4 m

Weight

24.4 kg

### VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA  
Uncertainty of measured value  
KpA

95,3 dB  
3 dB

Sound power level LWA  
Uncertainty of measured value  
KWA

106,3 dB  
3 dB

Sound peak value  
LpCpeak  
Uncertainty of measured value  
KpCpeak

110,9 dB  
3 dB

Vibration value 1  $\alpha_{hv}$  3-  
way  
Uncertainty of measured value  
K $\alpha$

ah = 2,7 m/s<sup>2</sup>  
1,5 m/s<sup>2</sup>

## Application examples

