



## WSG 17-150 P

Compact angle grinders, Ø 150 mm

Ergonomic compact angle grinder with high power reserve for effective sanding and cutting.

Product number: 7 222 11 60 24 0

### Details

- > Longer carbon brush life and tool removes more material than comparable angle grinders.
- > POWERtronic for enormous power, power reserve and exceptional speed stability under load.
- > User protection features include blockage monitoring, restart protection, soft start and electronic overload protection.
- > The lightest and shortest model of its kind.
- > Solid metal gearbox head.
- > H 07 industrial cable.
- > The best vibration performance in its class.

### Price includes

- ✓ 1 wheel guard
- ✓ 1 anti-vibration handle
- ✓ 1 pair of flanges
- ✓ 1 key

### Product feature

- ✓ POWERtronic tachometer electronics
- ✓ Restart protection
- ✓ Electronic overload protection
- ✓ Soft start
- ✓ Blockage monitoring



## Application

Roughing-down



Deburring



Dividing



Brushing



★ suitable

★★ well suitable

## Technical data

### TECHNICAL DATA

Input

1,700 W

Output

1,000 W

Speed, no load

8,500 rpm

Grinding disc Ø

150 mm

Elast. Backing pad Ø

150 mm

Flange

M 14

Cable with plug

4 m

Weight according to  
EPTA

2.40 kg

### VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA  
Uncertainty of measured value  
KpA

90 dB  
3 dB

Sound power level LWA  
Uncertainty of measured value  
KWA

101 dB  
3 dB

Sound peak value  
LpCpeak  
Uncertainty of measured value  
KpCpeak

105 dB  
3 dB

Vibration value 1  $\alpha_{hv}$  3-  
way  
Vibration value 2  $\alpha_{hv}$  3-way

5,0 m/s<sup>2</sup>  
3,5 m/s<sup>2</sup>

Uncertainty of measured  
value K $\alpha$

1,5 m/s<sup>2</sup>



# FEIN

## Application examples

