



AGSZ 18-90 LBL AS

Cordless die grinder

Dust-resistant and powerful, compact cordless die grinder with large plunge depth for grinding and polishing work.

Product number: 7 123 06 61 00 0



Details

- > Guarantees very long life with the next generation of brushless FEIN PowerDrive motors. Totally closed motor housing protects the motor from aggressive ceramic and mineral dusts.
- Ideal for every application. Optimum speeds, matched to a large number of abrasive materials and other materials using the infinitely variable, electronic speed preselection.
- > Powerful. 30 % more efficiency than comparable universal motors with a rated output of 1 100 W.
- > COOLPACK 2.0 technology delivers a 135% longer battery life and therefore makes longer operating times possible.
- > State-of-the-art cell technology and intelligent battery management deliver 87% more power than with conventional batteries.
- > ProCORE Li-lon battery with high-power cells, charge status indicator and "Electronic Cell Protection" (ECP). ECP protects against overload, overheating and total discharge.
- > Very smooth running and low-vibration working thanks to motor being decoupled from the

- housing and mounted separately and four additional vibration dampers.
- > Extensive user protection features include soft start, restart protection and electronic overload protection.
- > Innovative collets with all-round flange to protect the workpiece and prevent the wrench sliding off during tool changes.
- > Fatigue-free working thanks to narrow grip dimensions, compact design and a well-balanced low weight.
- > Separate motor electronics with dust guard in handle area.
- Compatible with all 18 V AMPShare ProCORE batteries and chargers for even more power and flexibility. Also suitable for 18 V Bosch Professional cordless devices.
- > Bright working area thanks to integrated LED light.
- > Long, narrow neck allows tool to plunge a long way into workpieces (e.g. grinding inside pipes).
- > Removable rubber collar bearing cover.
- > Ideally equipped for every job. Mobile working with the XL-BOXX system.

Price includes

- 1 collet Ø 6 mm
- Jaw spanner SW17

- Jaw spanner SW13
- 1 tool case (XL-Boxx)

Product feature

- POWERtronic tacho electronics
- Restart protection
- Electronic overload protection
- Long neck

- Soft start
- Blockage monitoring
- Electronic speed preselection

Application



Grinding

Brushing

Satin-finishing

Polishing



★ suitable

★★ well suitable

Technical data

TECHNICAL DATA

Battery voltage	18 V
Battery compatibility	Li-ion / ProCORE Li-ion
Battery interface	18 V AMPShare
Motor	brushless
Speed, no load	2,900 - 9,000 rpm
Polishing disc Ø	80 mm
Grinding wheel for max.	50 mm
Collet for max. Ø	8 mm
Max. cutter diameter	12 mm
Weight without storage battery	1.77 kg
Weight without storage battery	1.77 kg

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA 83 dB Uncertainty of measured value 3 dB КрА Sound power level LWA 94 dB Uncertainty of measured value 3 dB 97 dB Sound peak value LpCpeak Uncertainty of measured value 3 dB KpCpeak Vibration value 1 α hv 3αh,SG (Ø 50mm) 3,2 m/s^2 Vibration value 2 α hv 3-way α h,SG (Ø 25mm) 1,2 m/s 2

 $1,5 \text{ m/s}^2$

Uncertainty of measured

value Kα



Application examples



Kompatibel mit AMPShare-/ Bosch Professional 18 V Akkus. | Compatible with AMPShare/Bosch

Professional 18 V batteries. | Compatible avec les batteries 18 V AMPShare/Bosch Professional. | Compatible con baterías AMPShare/Bosch Professional de 18 V. | Compatibile con le batterie AMPShare / Bosch Professional da 18 V.



