

AMP Share



# ASCD 18-200 W4 AS

#### Cordless impact wrench/driver

Up to max. 210 Nm with brushless motor and 6-stage torque setting. For universal screwdriving applications including self-drilling screwdriving.

Product number: 7 115 11 61 00 0

## Details

- For extreme precision work: The ASCD 18-200
  W4 AS with electronic torque setting (6 levels) prevents screw heads from shearing off.
- Brushless motor with 30% higher efficiency and long service life.
- 1/4" hexagon socket tool mounting for holding bits and socket wrench inserts.
- 10% more torque in reverse running to loosen screws which are extremely tight.
- + Robust solid metal impact gear.
- + Contact guard on gearbox head.
- + Compact design.
- 700 screw connections (M18) with one battery charge (ProCORE 4 Ah).

- Bit and belt holder on the side for ergonomic and flexible handling.
- Compatible with Bosch Professional 18 V batteries (available since 2008) and AMPShare batteries.
- Maximum work progress with AMPShare 18V ProCORE batteries: COOLPACK 2.0 technology delivers a 135% longer battery life. State-of-theart cell technology and intelligent battery management deliver 87% more power than with conventional batteries. "Electronic Cell Protection" (ECP) protects the battery from overload, overheating and total discharge.
- Ideally equipped for every form of use. Mobile working with the L-BOXX system.

#### Price includes

- + 1 belt clip
- + 1 tool case (L-Boxx 136)

## Technical data

TECHNICAL DATA

#### + 1 magnetic bit storage

# VIBRATION AND SOUND EMISSION VALUES

Battery voltage

Battery compatibility

18 V

Li-ion / ProCORE Li-ion

Sound pressure level LpA Uncertainty of measured value KpA 96,1 dB 3 dB



Battery interface

Motor

Speed, no load

Impacts


Max. torque

Torque levels

Tool Holder

Wood screw Ø

Weight without storage battery



Sound power level LWA Uncertainty of measured value

Sound peak value Uncertainty of measured value

Vibration value 1  $\alpha$ hv 3-Uncertainty of measured value

104,1 dB 3 dB

118,1 dB

3 dB

**α**h 13,4 m/s<sup>2</sup>

1,5 m/s<sup>2</sup>

# Application examples



Kompatibel mit AMPShare-/ Bosch **Professional 18 V** Akkus. | Compatible with AMPShare/Bosch

Professional 18 V batteries. | Compatible avec les batteries 18 V AMPShare/Bosch Professional. Compatible con baterías AMPShare/Bosch Professional de 18 V. | Compatibile con le batterie AMPShare / Bosch Professional da 18 V.

