



SPECIFICATIONS

Output Capacity	20 LPM (EHTMA Cat C)
Full Pressure Relief	150 Bar (2200 PSI)
Circuit Type	Open Centre
Connectors / Size	½" Flat Face Hyd Couplings
Hydraulic Capacity	9 Litres
Motor Type	5.5kW 50Hz 380-415Vac 3-Phase
Starting System	Direct-On-Line
Connection	16a 3P+N+E (5-Pin)
Weight	88Kg (Dry)
Dimensions (mm)	L 705 x W 550 x H 645

Features and Benefits

The HPP09E is a compact, electrically powered hydraulic power unit designed for reliable performance in indoor, low-noise and emission-sensitive environments, ideal for construction, utilities and rail work delivering a consistent hydraulic power offering an efficient alternative to traditional fuel-powered hydraulic units.

- EHTMA Category C hydraulic circuit with superior cooling.
- 2 handle system with wheels for easy manoeuvrability.
- Low maintenance requirements.
- Consistent hydraulic output.
- Zero emissions – perfect for indoor and confined spaces due to it's compact & portable design.
- Lower running costs compared to fuel units.
- Includes in-built motor relay safety feature to alleviate overheating as a cause of voltage spikes and phase losses.



ORDERING INFORMATION

MODEL/PART No.	DESCRIPTION
HPP09E (2020055)	20lpm @ 150 BAR 5.5Kw 3-Phase motor Built In Motor Relay 1/2" Flat Face Hyd Couplers

WARRANTY

Hydraulic Tools, Power Units and their associated parts are warranted against defects in materials and workmanship for a period of twelve months from the date of purchase. EC Hopkins reserves the right to repair or replace only those parts which prove to have been defective at the time of purchase. This warranty becomes void if maximum flow and pressure ratings are exceeded.

ACCESSORIES

PART No.	DESCRIPTION
HS07M08B3-FF	Hyd Hose Set 7m, 1/2" FF Couplers, ISO32 Oil
HS10M08B3-FF	Hyd Hose Set 10m, 1/2" FF Couplers, ISO32 Oil
HS15M08B3-FF	Hyd Hose Set 15m, 1/2" FF Couplers, ISO32 Oil

SERVICE ITEMS / TOOLS

PART No.	DESCRIPTION

TEST EQUIPMENT

4040062	Flow & Pressure Tester
---------	------------------------

All E.C. Hopkins tools, parts, accessories and allied equipment are subject to design improvements, specification and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult E.C. Hopkins Limited.