Search for spare parts, …



POWER CUTTER K 4000 CnB 220-240 V | EU

Our Cut-n-Break method is the natural choice when you need to cut deep but want a machine with low tool and maintenance costs. The K 4000 Cut-n-Break enables you to cut as deep as 400 mm from one side. Suitable for flush cutting close to walls and floors as well as for smaller jobs like window openings where you want to avoid overcutting at the corners.

Engine

	POWER CUTTER K 4000 CnB 220-240 V | EU
Rated input power	2.7 kW

Voltage	220-240 V
Frequency	50-60 Hz

Cutting equipment

	POWER CUTTER K 4000 CnB 220-240 V | EU
Cutting depth, max	400 mm
Blade diameter, max	230 mm
Blade thickness, max	2.5 mm
Peripheral speed, max	60 m/s

Dimensions

	POWER CUTTER K 4000 CnB 220-240 V | EU
Product size length	867 mm
Product size width	226 mm
Product size height	325 mm
Weight (complete product w/o side packed articles)	8.4 kg

Sound and noise

	POWER CUTTER K 4000 CnB 220-240 V | EU

Sound power level, guaranteed (LWA)	109 dB(A)
Sound pressure level at operators ear	95 dB(A)

Vibration

	POWER CUTTER K 4000 CnB 220-240 V | EU
Vibrations left/front handle	3.2 m/s²
Vibrations right/rear handle	3.4 m/s²

© Husqvarna AB (publ). All rights reserved. Prices shown are recommended retail prices.

Cookie policy

Terms of use

Privacy notice

Imprint

Useful links

Contact us