Search for spare parts, ...

Home / Products / Compactors HCD / LF 130 LT



FORWARD PLATE LF 130 LT | Honda

LF 130 LT is a heavy, fast-operating forward plate compactor, ideal for compacting thin to medium layers of granular soils. The unique plate shape and optimised speed enable fast and easy compaction with high production rates. The exclusive, patented low-vibration handle protects you from unhealthy vibration levels and the compact design with foldable handle make transportation and storage easy.

Engine

	FORWARD PLATE LF 130 LT | Honda
Motor/engine model	GX160
Engine Power (As rated by the engine manufacturer)	3.6 kW
Power/fuel type	Petrol
Starter	Recoil
Exhaust emissions (CO_2 EU V)	757 g/kWh
Power Source	Petrol

Product data

	FORWARD PLATE LF 130 LT | Honda
Compaction application	Soil
Centrifugal force	20 kN
Speed	26 m/min

Dimensions

	FORWARD PLATE LF 130 LT | Honda
Plate width	500 mm
Product size length	946 mm
Product size width	500 mm
Product size height	1,005 mm
Weight (complete product w/o side packed articles)	135 kg
Packaging length	620 mm
Packaging width	850 mm
Packaging height	840 mm
Article gross weight	139,000 g

Sound and noise

	FORWARD PLATE LF 130 LT | Honda
Sound power level, guaranteed (LWA)	105 dB(A)
Sound pressure level at operators ear	95 dB(A)

Vibration

	FORWARD PLATE LF 130 LT | Honda
Hand arm vibration (Aeq)	1.3 m/s²

Vibrations left/front handle	8 m/s²
Vibrations right/rear handle	1.3 m/s²

© Husqvarna AB (publ). All rights reserved. Prices shown are recommended retail prices.

Cookie policy

Terms of use

Privacy notice

Imprint

Useful links

Contact us

REACH Article 33 Declaration

Status page